

- 1.) It is very easy to tip over on ramps and sloped surfaces whether the forklift is loaded or unloaded.
 - a.) True
 - b.) False

- 2.) When driving on ramps with a grade of 10 percent or more with a loaded forklift, you must always keep the load uphill, even if it means driving in reverse down the ramp.
 - a.) True
 - b.) False.

- 3.) What should you do when you approach an intersection?
 - a.) Slow down and sound the horn.
 - b.) Check for hazards by leaning out of the cab.
 - c.) Turn slowly and smoothly.
 - d.) Get through as quickly as possible.

- 4.) To lift people using a forklift, the operator must...
 - a.) Lift people with bare forks.
 - b.) Use a pallet to provide a platform.
 - c.) Move a truck near a wall for fall protection.
 - d.) None of the above.

- 5.) When forward visibility is obstructed or blocked...
 - a.) Look around the load.
 - b.) Proceed forward slowly and with due caution.
 - c.) Drive in reverse.
 - d.) None of the above.

- 6.) Which of the following is a warning sign that the forklift may need to be taken out of service and repaired?
 - a.) Leaks for the fuel system.
 - b.) A brake pedal that feels spongy.
 - c.) Exhaust fumes that make you feel sick.
 - d.) All of the above.

- 7.) According to OSHA statistics, how many employees are killed each year while operating or working near forklifts and other powered industrial trucks?
 - a.)50
 - b.)100
 - c.)500
 - d.)1,000

- 8.) It is acceptable to smoke cigarettes when changing propane tanks.
a.) True
b.) False
- 9.) If a forklift has a seat belt but will only be operated on smooth concrete it is not required to be used.
a.) True
b.) False
- 10.) Tractor-trailers' wheels always need to be chocked prior to loading/unloading.
a.) True
b.) False
- 11.) The distance between wheels is the only factor in determining the stability pyramid.
a.) True
b.) False
- 12.) Pre-check inspections should be completed at the start of the work shift, this inspection should be documented and the records retained.
a.) True
b.) False
- 13.) Unattended forklifts should keep the forks up so they are not a tripping hazard.
a.) True
b.) False
- 14.) Forklift drivers should always do what of the following?
a.) Sound their horn to let pedestrians know of their presence, and at all blind spots, intersections, and corners
b.) Stop unsafe acts noted by discussing with the respective supervisor, as it endangers everyone's safety
c.) Remove objects/obstacles instead of running over them
d.) All of the Above
- 15.) What should you do if your forklift begins to tip over?
a.) jump out in the direction opposite the direction in which the forklift is tipping
b.) jump out in the same direction the forklift is tipping and run away from the vehicle
c.) stay in the operator's position while holding onto the steering wheel and bracing yourself.

Answers

1. A
2. A
3. A
4. D
5. C
6. D
7. B
8. B
9. B
10. A
11. B
12. A
13. B
14. D
15. C